

CORMAY IMMUNO-CONTROL III

Cat. No: 4-291

Lot: 001-66

Exp.: 2020.10

| PROTEIN                       | ASSIGNED VALUE | RANGE             |
|-------------------------------|----------------|-------------------|
| ALBUMIN                       | 47.90 g/l      | 38.32 – 57.48 g/l |
| $\alpha$ -1 ANTITRYPSIN       | 1.60 g/l       | 1.28 – 1.92 g/l   |
| $\alpha$ -1 GLYCOPROTEIN ACID | 1.01 g/l       | 0.81 – 1.21 g/l   |
| ANTITHROMBIN III              | 0.31 g/l       | 0.26 – 0.37 g/l   |
| COMPLEMENT C3                 | 1.83 g/l       | 1.46 – 2.20 g/l   |
| COMPLEMENT C4                 | 0.32 g/l       | 0.26 – 0.38 g/l   |
| CERULOPLASMIN*                | 0.60 g/l       | 0.48 – 0.72 g/l   |
| HAPTOGLOBIN                   | 1.56 g/l       | 1.25 – 1.87 g/l   |
| IgA                           | 2.51 g/l       | 2.01 – 3.01 g/l   |
| IgG                           | 11.68 g/l      | 9.34 – 14.02 g/l  |
| IgM                           | 1.13 g/l       | 0.90 – 1.36 g/l   |
| TRANSFERRIN                   | 3.05 g/l       | 2.44 – 3.66 g/l   |

\*Values compatible with CERULOPLASMIN reagents since LOT number xxx-xx27

CORMAY IMMUNO-CONTROL III

Cat. No: 4-291

Lot: 001-66

Exp.: 2020.10

| PROTEIN                       | ASSIGNED VALUE | RANGE             |
|-------------------------------|----------------|-------------------|
| ALBUMIN                       | 47.90 g/l      | 38.32 – 57.48 g/l |
| $\alpha$ -1 ANTITRYPSIN       | 1.60 g/l       | 1.28 – 1.92 g/l   |
| $\alpha$ -1 GLYCOPROTEIN ACID | 1.01 g/l       | 0.81 – 1.21 g/l   |
| ANTITHROMBIN III              | 0.31 g/l       | 0.26 – 0.37 g/l   |
| COMPLEMENT C3                 | 1.83 g/l       | 1.46 – 2.20 g/l   |
| COMPLEMENT C4                 | 0.32 g/l       | 0.26 – 0.38 g/l   |
| CERULOPLASMIN*                | 0.60 g/l       | 0.48 – 0.72 g/l   |
| HAPTOGLOBIN                   | 1.56 g/l       | 1.25 – 1.87 g/l   |
| IgA                           | 2.51 g/l       | 2.01 – 3.01 g/l   |
| IgG                           | 11.68 g/l      | 9.34 – 14.02 g/l  |
| IgM                           | 1.13 g/l       | 0.90 – 1.36 g/l   |
| TRANSFERRIN                   | 3.05 g/l       | 2.44 – 3.66 g/l   |

\*Values compatible with CERULOPLASMIN reagents since LOT number xxx-xx27

| BIĄŁKO                           | WARTOŚĆ ŚRODKOWA | ZAKRES            |
|----------------------------------|------------------|-------------------|
| ALBUMINA                         | 47,90 g/l        | 38,32 – 57,48 g/l |
| $\alpha$ -1 ANTYTRYPSYNA         | 1,60 g/l         | 1,28 – 1,92 g/l   |
| KWAŚNA $\alpha$ -1-GLIKOPROTEINA | 1,01 g/l         | 0,81 – 1,21 g/l   |
| ANTYTROMBINA III                 | 0,31 g/l         | 0,26 – 0,37 g/l   |
| SKŁADNIK C3 DOPEŁNIACZA          | 1,83 g/l         | 1,46 – 2,20 g/l   |
| SKŁADNIK C4 DOPEŁNIACZA          | 0,32 g/l         | 0,26 – 0,38 g/l   |
| CERULOPLAZMINA*                  | 0,60 g/l         | 0,48 – 0,72 g/l   |
| HAPTOGLOBINA                     | 1,56 g/l         | 1,25 – 1,87 g/l   |
| IgA                              | 2,51 g/l         | 2,01 – 3,01 g/l   |
| IgG                              | 11,68 g/l        | 9,34 – 14,02 g/l  |
| IgM                              | 1,13 g/l         | 0,90 – 1,36 g/l   |
| TRANSFERRYNA                     | 3,05 g/l         | 2,44 – 3,66 g/l   |

\*Wartości kompatybilne z odczynnikami do oznaczania CERULOPLAZMINY serie od xxx-xx27

| BIĄŁKO                           | WARTOŚĆ ŚRODKOWA | ZAKRES            |
|----------------------------------|------------------|-------------------|
| ALBUMINA                         | 47,90 g/l        | 38,32 – 57,48 g/l |
| $\alpha$ -1 ANTYTRYPSYNA         | 1,60 g/l         | 1,28 – 1,92 g/l   |
| KWAŚNA $\alpha$ -1-GLIKOPROTEINA | 1,01 g/l         | 0,81 – 1,21 g/l   |
| ANTYTROMBINA III                 | 0,31 g/l         | 0,26 – 0,37 g/l   |
| SKŁADNIK C3 DOPEŁNIACZA          | 1,83 g/l         | 1,46 – 2,20 g/l   |
| SKŁADNIK C4 DOPEŁNIACZA          | 0,32 g/l         | 0,26 – 0,38 g/l   |
| CERULOPLAZMINA*                  | 0,60 g/l         | 0,48 – 0,72 g/l   |
| HAPTOGLOBINA                     | 1,56 g/l         | 1,25 – 1,87 g/l   |
| IgA                              | 2,51 g/l         | 2,01 – 3,01 g/l   |
| IgG                              | 11,68 g/l        | 9,34 – 14,02 g/l  |
| IgM                              | 1,13 g/l         | 0,90 – 1,36 g/l   |
| TRANSFERRYNA                     | 3,05 g/l         | 2,44 – 3,66 g/l   |

\*Wartości kompatybilne z odczynnikami do oznaczania CERULOPLAZMINY serie od xxx-xx27